

News API Endpoint

News API Endpoint

Use this to get a list of recent news on data breaches.

URL

https://api.bitsighttech.com/ratings/v1/news

Parameters

Parameter	Description
sort	Determines the fields to sort the response objects by. Field names are the names of the keys in the response object. Multiple fields can be specified by comma-separating their names. Specifying a field sorts it in ascending order (A to Z). To sort in reverse (descending) order, place a minus (-) sign immediately before the field name.
	<pre>Example: 'event_type, -entity_longname' will sort first by ascending event_type, and then by descending entity_longname (where the event_type is the same).</pre>
limit	Determines the maximum number of records to return in a response. If not set, it will return 100 records.
offset	Determine the page number to start returning records from. A "0" value will cause the results to start with the first record of the result set.
show_on_das hboard	Determines if the news page will be displayed in the portfolio dashboard.

```
Example Request (GET)
curl https://api.bitsighttech.com/ratings/v1/news -u {api_token}:
Example Response
   "results":[
[...]
         "date": "2019-06-15",
         "date created": "2019-06-16",
         "event type": "Phishing",
         "event type description": "An attack in which fraudulent email is used
to masquerade as an employee or legitimate contact",
         "severity":1,
         "text": "This company fell victim to a phishing attack, which
compromised the personal information of an unknown number of individuals.",
"preview url": "https://www.examplesource.com/news/security/example-company-disc
loses-breach/",
         "company":{
            "guid": "888888aa-88a8-8a88-8a8a-a888a888888a8",
            "name": "Example Company"
         }
   ]
}
```

Response Attributes

Key	Description	Data Type
date	The date when the news article was published and when the event will begin to impact the rating.	String [YYYY-MM-DD]
date_created	The date when the event was logged into the BitSight Security Ratings Platform.	String [YYYY-MM-DD]
event_type	A designation that categorizes the data breach.	String
event_type_desc ription	An account of the event, in accordance with the type of data breach.	String
severity	An assessment of the seriousness of the breach. Values: 0 = Informational 1 = Minor 2 = Moderate 3 = Severe	Integer
text	An account of this specific event.	String
preview_url	The web address of the source news article.	String [URL]
company	Contains the details of the affected company.	Object
guid	The unique identifier of the affected company.	String
name	The name of the affected company.	String